

Dynamic Engineering Australia

Super-M ATEX Stainless Steel Extractor Arm

Made of Acidproof and Mirror-polished Stainless Steel







ATEX CONFORMAL EXECUTION
for Ex-Aera 1/21 and 2/22
ATEX: EX II 2D/G
PVC-hose, electrically conductive 10⁴ Ohm

**PERFECTLY
BALANCED**
External
hydraulically
suspended
parallelogram
arms make the
hood incredibly
easy to move and
100% stable in all
positions.

Pharmaceutical, Food process and Technical chemical Industry
Extraction arm for explosive gas in zone 1 and 2 as well as dust for zone 21 and 22.

The Hood is the Secret behind the efficiency. The hoods are developed in cooperation with one of the biggest companies in the chemical industry. The straight hood is for dust. The 67° hood is for smoke and the 150° hood is for gases. The 150° hood develops a "tornado" effect, which enhances its capacity to extract gases.

Super-M inclusive wall bracket, PVC hose, electrically conductive 10 ⁴ Ohm and hood.	Hood / Ø			
	 Hose Ø 110mm	 Hose Ø 110mm	 Hose Ø 110mm	 Hose Ø 160mm
Super-M 1.5m (0.25m+1.5m)	P-331ex	P-343ex	P-337ex	P-178ex
Super-M 2m (0.5m+1.5m)	P-332ex	P-344ex	P-338ex	P-179ex
Super-M 2.2m (0.25m+2m)	P-333ex	P-345ex	P-339ex	P-180ex
Super-M 2.5m (0.5m+2m)	P-334ex	P-346ex	P-340ex	P-181ex
Super-M 3m (0.5m+3m)	P-335ex	P-347ex	P-341ex	P-182ex
Super-M 4m (0.5m+0.6m+3m)	P-336ex	P-348ex	P-342ex	P-183ex
Damper, tight, acidproof	P-483	P-482	P-482	P-484

7/52 Kent Street Cannington WA 6107

Ph: (08) 9356 7633 Fax: (08) 9356 7644

Email: sales@dynamiceng.com.au Web: www.dynamiceng.com.au